

BACK GROUND AND SUMMARY OF MY PROCEDURE INVENTION

MY NAME IS FRANK GULISANO, A LAYMAN RESIDING AT 1212 LORING AVE. BROOKLYN. I AM SELF TAUGHT IN MANY WAYS, BESIDES HAVING A REGENTS DIPLOMA. MY CLAIM HERE IS FOR MEDICAL REASONS IN THE CURE OF BRAIN TUMORS, OF WHICH I BELIEVE COME IN DIFFERENT FORMS, THAT ARE BROUGHT ABOUT BY DEFECTIVE GENES. MY PRECISE PROCEDURE PRESENTED HERE, I BELIEVE CAN CURE SUCH TUMORS WITHOUT SURGERY BEING PERFORMED OR APPLYING RADIOACTIVE MATERIAL, FOR SUCH PURPOSES IN ELIMINATING SUCH TUMORS WHEN THEY BECOME TROUBLE-SOME ESPECIALLY IF SUCH TUMORS ARE DEATH THREATING TO A PERSON. THERE ARE TIMES WHEN TUMORS CAN NOT BE OPERATED ON WITHOUT KILLING THE PATIENT, THEREBY RENOUNCING SUCH A PERSON TO DEATH. MY PROCEDURE CAN SOLVE THIS PROBLEM IF FOLLOWED CORRECTLY, TO ITS TIMING, VOLUME, WEIGHT, ITEMS, AND DURATION OF TIME, AS EXPLAINED HEREIN. A BRAIN TUMOR THAT HAS SPREADS SUCH AS A CANCEROUS ONE BECOMES DOUBTFUL IF ANY THING CAN BE DONE, UNLESS I CAN FIND A WAY. I BELIEVE MOTHER NATURE HAS PROVIDED ME AN EXCELLENT WAY TO SUCH CURES STATED, OTHER THAN WHAT IS CONVENTIONAL. THIS WAS DISCOVERED BY ME QUITE BY ACCIDENT IN MY NEED TO FIND SOME ANSWERS BY EXPERIMENTING IN MY CURIOSITY CONCERNING DIFFERENT MATTERS. SUCH PROCEDURE OF MINE CONSISTS OF THE INTAKE OF AIR AND VAPOR FROM ONE OF NATURE'S WONDER DRUGS THAT I DEEM TO BE A LOW RISK UNDERTAKING COUPLED WITH WHAT I CONSIDER A SURE CURE IN PERFORMING ITS INTENDED PURPOSE, IF DONE EXACTLY AS WRITTEN AS I HAVE ACCIDENTALLY FOUND IT TO BE SO. WHAT IS USED, WHEN APPLYING PROPER TIMING TO IT, WHETHER SUBSTANCE OR EQUIPMENT IS CRUCIAL IN EFFECTING A CURE, WITH THIS PROCEDURE, FOR THE BENEFIT OF LITERALLY MILLIONS OF SUFFERING PEOPLE, AND TO PREVENT THE 5,000 LIVES THAT ARE LOST EVERY YEAR FROM ASTHMA ATTACKS IN THE UNITED STATES ALONE! ALSO TO FURTHER STUDIES IN UNCHARTED AREAS OF SCIENCE, TO SAVE OUR MOST PRECIOUS RESOURCES:

PEOPLE. THIS PROCEDURE WAS PRESENTED HERE BY ME ONLY, AS I WAS NOT ABLE TO HIRE A PATENT AGENT FOR ASSISTANCE. I WOULD APPRECIATE ANY HELP YOU CAN PROVIDE ME IN MY QUEST AT THIS POINT IN TIME. THIS IS RELATED TO A PROVISIONAL APPLICATION #60/509/592 FILING DATE 10/09/03. ON 12/ 05/03 I WAS GRANTED A LICENSE UNDER SECTION 35 USC 184

70

PROCEDURE FOR ASTHMATIC, AND OTHER NON-INVASIVE SURGERY FOR BRAIN TUMOR CURES

79.

I have effected the cure of my asthma that I was born with, which came to an end at approximately 55 years of age, and was done by utilizing mother nature's pure cocain in a free base form, the timing of its use is medically crucial. The size of this free base piece that I used many years ago was 1/4 the size of a cardboard match head, matches that one receives with a pack a cigarettes. I recall this weight to be about 1/10 of 100 parts of a gram or 10/100 on a centermeter scale, of pure 84% free base columbian powder cocain. To insure the proper strength dosage is applied per full breath intake every time, a new prepared metal screen with a new 1/10 of a gram cocain piece should be installed on this screen per treatment. This needs a very small butane flame to evaporated, as this cocain is now very sensitive to heat. When the heat is taken away, this piece instantly stops evaporing. Each metal screen must be burned red hot before using for a few seconds to evaporate the industrial chemical residue on it that goes up in a puff of smoke, then the filter is clean to be used. Seeing as each person has a different lung capacity, each person's full air capacity must be determine before time, and the amount of air/cocain mixture used, to equal it, in volume and must be deeply inhaled one time only per 1/2 hour, or another predetermined time, as explained below. This volume measurment must be done due to the fact that an a unconscience patient may not take a full breath while unconscious but take two first small breaths at the begining of the time settings. The volume of prepared mixed of air and cocain should always be used up, to equal that persons deep intake volume. Not eating at all before attempting this I recall, this tumor cure took me 16 hours or 32 sessions of 1/2 hour apiece of deep inhaling this free base 1/10 of a gram pure columbian cocain, one after another, non stop after the end of each of the 1/2 hours, as its metabolic rate came to an end at this point like clock work, each and every time. But this was done for a completly different reason in trying to find out information about a different subject, and I did not realized what I did to myself untill 4 months later, in not getting any more asthma attacks. This took over a year to figure out what happen. Before starting any thing on the

7.9.

patient, they must not have any intake of any food for at least 6 hours prior, unless the physician requests more time. The first step after six hours or more is to check there blood until there is a steady normal methoblic rate . The second step is to determine the patients lung capacity while awake. The third step is to put the patient to sleep for as many hours as is needed, for inhaling air/cocain mixture once only at first to check the patients blood at intervals for signs of when there is a complete methoblic use of this cocain, for that pearson only, this time frame must be noted exactly and the machine used, to calibrated to that time frame for each succeeding full volume of intake of this mixture which is tailed to this patient, and the fouth step is to continue this procedure until the scanning of the brain shows a decreasing electrical output in a part of the brain as this procedure is continuing, when this brain current stops at any brain point, the tumor was there and is now dead, but this will take many hours to accomplish. The fifth step is to stop ever thing and at this point leave the patient to rest naturally, for as long as is needed for them to wake up, as the brain adjusts itself, and will wake up on its own normaly The original cocain C17H2N04 is used in snorting, but when free based with ammonia, or baking soda or ether and heated carefully in a cooking glass and worked, it becomes free of its alkoloid base and, is instantly absorbed in the blood, when inhaled, it then beaches the brain barriar in seconds to where the tumor or tumors are located. This amount of alkoloid base is approximately 1/11 of the original amount in weight, and goes into a solution with what you are freebasing it with, so that what is left is 1/11 lighter than what you started with, and can at this point be inhaled and becomes useless in snorting it. An asthmatic attack is caused by a brain tumor in its realease of an electrical charge which is erattic at its best, as it has no normal order in behavior when some thing sets it off, which can be caused by its internal action alone, or set off with outside stimuli that gets into the blood stream setting this tumor off directly or indirectly. When this happens the tumors electrical charge upsets glands it has access to, one in particular whose name and its secreation I do not recall, but this secreation was recently discovered, (due to updated equipment that was made available, which was perhaps 15 years ago) in the blood of people that had asthmatic attacks (no one knew why this gland was doing this, it was just raw findings) This secreation was found to be minute and powerfull and causes the bronchial tubes to constrict and an asthma attacks is imminent. When such bronchia tubes recover you can

70

start to breath better. I felt it was a tumor causing, this in what ever made it act up in producing an electrical charge to this gland that cause it to discharge its brew. I thought if the electric charge was very strong at times, it would release an unusual amount of the substance mention above and became too much for a person's body to over come in a safe time, and eventually cause death by asphyxiation. (It has been estimated by officials in the know, that approximately 5,000 deaths occure each year in the United States that were asthmatic related) This tumor I believe must be near or connected to the breathing appartus in complicating things. The reason for this logic, is that tumors that are else where must cause different problems to the body depending on what net work its hook up to. The only safe way to kill such tumors malignant or not, curable or not is by my method above, and does not need invasive surgery, in doing away with such tumors. Tumors that cause asthmatic attacks or any tumors, I believe, are brought about by defective genes in creating these tumors. If only such genes can only be pinpointed! perhaps it can be found in working backwards, from the tumor to the gene,so as to prevent tumors from forming, by studying such geans. Any abnormal cells in the brain, that causes a brain problem is consided a tumor to me and may or may not be called tumors by the medical profession. Pharmaceutical cocain which is man made is harsh and very strong at 100% pure,due to its lack or natural cocain derivitives. This may or may not work in killing such tumors,if not then the derivatives of natural cocaine plays an important role in a free base state in effecting a cure for such tumors. The reason cocaine is the only substance to do the job that I know of is a simple one, it is the only substance that can breach the brain barrier where these tumors are located, that are sensitive to cocain, and effectively kill these tumors by self destruct . When tumors absobs this cocain, it distrups it's cell chemistry in its greedy need, or use of it as quickly as possible, with no normal restrains, and its intake is over done. To cure tumors by nasal intake, if it can be done with non free base cocain I believe would destroyed your mucous membrane first, and intravenous I would think is to risky. Young children using cocain in Puru became deform, as the brain does not develope right, and can not perfome its functions in making healthy organs. Using cocain excessively or not by anyone especially such young developing bodies is extremely dangerous in its long time use. This became a very big problem In Puru so that operations were perform that were simple brain procedures, and

70

were succesful on such children, in getting rid of their cocain desire. This success lasted only 6 months, as the brain part that was worked on, came back and the cocain lust returned. (This is to show how the brain and cocain mix) This experiment needless to say became a failure. It my procedure it's important that the patient be in a sleeping state so that he or she does not feel anything of this new feeling as it should not be allowed to be dwelled on. On this sleeping patient a brain scan must monitor this brain to check after hours of treatment, for the electrical output of its parts. This tumor part of the brain may not be at all detected unless an unusual electrical output is seen, meaning the patient is having an attack, which is not likely to occur while looking. When an electrical output is seen diminishing in a location, then this location is where the tumor is at. Continue the treament untill there is no activity left in this sector and this tumor is dead and will not give the patient any more problems in there life time. Nor can it turn very bad and cause bigger problems as time goes on, which some times is the case. Vital signs must be watched for continously while performing this procedure, However nothing is likely to happen even in an uncontrolled enviornment due to the tiny cocain piece used, that lastes for approximately 1/2 hour with no need to give more, If a patient has more than one tumor, you can take care of them, there and then, but better to schedule this for another time, as each tumor's requirements for self destruct is different. If done, this is coined by me as a brain sweep. Because the tumor or tumors takes most of this cocaine, normal cells receive very little, and are not harm as this tumor dies. At this point the treament must stop,when there is no electrical activity left in such a location. Equipment to monitor such current is available. I might add that a brain scan can be done on me to locate this small dead area, where I believe my asthmatic tumor lies dead with no eletrical activity there. Tumors located in other parts of the brain will cause other abnormalities such as epilepsy with involuntary muscle movements, and so on to other tumors located else where, causing their own unique problems depending on what net work they are connected to when an unwanted electric discharge comes about, which many times is unpredictable as to when it will occure, and some times it may be a fairly constant current, giving that person continous unwanted movements. My belief is that most tumors come about, from genetic defects, besides asthmatic ones, and can certainly devolped other ways at times, one way is from an auto accident, etc. The importaint thing is to cure these tumors by self

F.O.

destruct, which was discovered by me quite by accident and to finally have put every thing together in my thinking on the subject with enough knowledge at my disposal especially on the workings of the body. There is a possibility a cocaine solution can be put on a cancerous body spot and it might die with out using radiation with its bad side affects, if it is accessible. To be sure, a wide internal cancerous spread seems hopeless for the time being, in curing.

Marijuana is legal to use for patients in treating an eye disease called lucoma by docters so that the patient does not go blind, might not the same thing be done with my procerure in saving 5,000 lives a year in the United States alone, from asthmatic attacks that kill people, not to mention various tumors that inflicted great sufferings on millions, and death to enough. SINCERELY YOURS FRANK GULISANO
ROBINHOODONE@AOL.COM